CT120 PC Cooling Fan

2 Pack





Thermaltake CT120 PC Cooling Fan 2Pack

Featuers

- Cable Integrated Daisy-chain Design with better cable management
- PWM Controlled Fan with a maximum speed of 2000 RPM
- Specifically tuned fan blade allows the air to be pushed further
- Optimized hydraulic bearing for reliable and silent operation
- Anti-vibration Mounting System Embedded

• Specification

2 Pack

| P/N | CL-F147-PL12BL-A |
|--------------------|--------------------|
| Fan Dimension | 120 x 120 x 25 mm |
| Started Voltage | 5 V |
| Rated Voltage | 12 V |
| Rated Current | 0.11 A (one fan) |
| Power Input | 1.32 W (one fan) |
| Fan Speed | PWM 500~2000 R.P.M |
| Max. Air Pressure. | 2.23 mm-H2O |
| Max. Air Flow. | 57.05 CFM |
| Noise Level. | 25.8 dB-A |
| BeaRiing Type | Hydraulic Bearing |
| Life expectation | 40,000 hrs,25°C |
| Connector | 4 PIN PWM |
| Note | PWM Cable x 2 |

Thermaltake CT120 PC Cooling Fan 2Pack


• Angle View



Front view



Back view





thermalitake

Side view



Parts
(M3 for Radiator x 8, T5x10 fan screw x 8
PWM extend cable x 2)

Application

Thermaltake CT120 PC Cooling Fan 2Pack

• Detail Features



Daisy-chain Design

better cable management



Anti-vibration mounting system

Reduce vibrations between fan and chassis



Application

To provide the best cooling solution inside your chassis

CT120 PC Cooling Fan

2 Pack



