Candle 5.5W (40W) 2700K 470Im E14 Non-Dimmable Frosted Lamp

Partcode: ILCANDE14NC013 / Page: 1



This 5.5W retro-fit Integral LED Candle (frosted finish, small screw, white base) delivers a warm light and brightness, similar to a 40W filament bulb. It features high output LEDs and an anti-glare refractor. Ideal for living rooms, dining rooms, bedrooms and hotels, in classic or modern wall or floor/table lamp fittings and chandeliers.

Product Details

Partcode: ILCANDE14NC013 Check Code: 873186 Range Name: Everyday Product Type: Candle Warranty: 2 Years CE / RoHS: Yes

Physical Data

Lamp Base: E14 Base Type: Small Edison screw Base Colour: Matt white Globe Type: Candle Globe Finish: Frosted Material: Plastic, Polycarbonate, Nickel plated brass Construction: Aluminium and Plastic heat-sink, Injection moulded diffuser

www.integral-led.com

integral LED

Partcode: ILCANDE14NC013 / Page: 2

Physical Data

Length: 112mm Width: 38mm Weight (Unpackaged Single Unit): 65g Lamp or Luminaire Shape: Oval Lamp Fixing: Pendant, Chandelier, Wall

Electrical Data

Voltage Range: 220-240V Power Consumption: 5.5 Watts Driver included: Yes Driver IC Manufacturer: Silergy Electric Current: AC Ampage: 66.00mA Frequency Range: 50 Hz Power Factor: >=0.50 Wattage Equivalent: 40 Watts Dimming: Non-dimmable LVD Certified: Yes EN: EN-62560

Light Data


Lumens: 470lm Lumens per Watt: 85.0lm/W Beam Angle: 280° Correlated Colour Temperature (CCT): 2700k Colour Temperature: Warm Colour Rendering Index (CRI): >=80 LED Type: Surface mounted device (SMD) Instant on - Less than 1 second: Yes Lifetime: 15,000 hrs Switching Cycles: >7,500 X

www.integral-led.com



Partcode: ILCANDE14NC013 / Page: 3

Environmental



Energy Rating: A+ Lowest Operating Temperature: -20 degrees Maximum Operating Temperature: 40 degrees IP (Ingress Protection) Rating: IP20 Hg 0% (Mercury Free): Yes

Packaging



EAN Barcode (unit of 1): 5055788209553 Packaged Weight (Unit of 1): 89g Length (unit of 1): 125mm Width (unit of 1): 51mm Depth (unit of 1): 51mm **Outer packaging info available on website**

Product data last updated on: Tuesday, February 11, 2020 - 18:51

www.integral-led.com