

PATH TO THE FUTURE

<h2 style =




Selling Points

- Windows 10 Famille - MSI recommande Windows 10 Professionnel
- Processeur Intel® Core™ de 10ème génération
- Écran 21,5" Full HD (1920 x 1080) de type IPS et à rétroéclairage LED
- Écran tactile à 10 points de contact
- Technologies antiscintillement et de réduction de la lumière bleue
- Bouton de navigation du menu OSD
- Technologie de refroidissement Silent Pro Cooling
- Mise à niveau facile du disque dur grâce à un rack amovible
- Port USB 3.2 Gen1 type-C avec design réversible
- Connectique complète pour utiliser tous vos périphériques
- Port COM pour connecter un scanner de code-barres, un lecteur de cartes bancaires, une imprimante, une caisse enregistreuses, etc.
- Angle de vision panoramique de 178°
- Technologie Super Charger pour une recharge rapide des périphériques USB



Picture and logos: Pictures Business & Productivity All-in-One PC



1. 1x Card Reader
2. 1x USB 3.1 Gen 1 Type A
3. 1x USB 3.1 Gen 1 Type C
4. 1x Kensington Lock
5. 1x RJ45 LAN
6. 1x HDMI-in / 1x HDMI-out
7. 1x COM port
8. 2x USB 3.1 Gen 1 Type A / 2x USB 2.0 Type A
9. 1x MIC-in / 1x Headphone-out
10. 1x 5-Way Navigator OSD Control Button



BUSINESS & PRODUCTIVITY ALL-IN-ONE
P C

PRO 22XT 10M

PRO 22XT 10M-247XFR

Specification

CPU Core Name	COMET LAKE
CPU Socket	LGA-1200pin
CPU Number	Intel Pentium G6400
CPU Clock	4GHz
CPU Cores	2
TDP	65W
Cache	4 MB Intel® Smart Cache
Threads	4
Chipsets	H410
Memory Size	4GB(4GB*1)
Memory Type	DDR4 SDRAM
Memory Speed	1333(2666)MHz
Module Type	SO-DIMM
Memory Slot(Total)	2
Memory Slot(Free)	1
Max Capacity	Max 32GB
SSD Interface	PCIe GEN3x4 w/o DRAM NVMe
SSD Form Factor	M.2-2280 M-KEY
SSD Config	256GB*1
SSD Size	256GB
HDD1 Interface	N/A
HDD1 Form Factor	N/A
HDD1 Size	N/A
HDD1 RPM	N/A
ODD(Type)	N/A
ODD Height	N/A
ODD Type	N/A
M.2 slots(Total)	1
M.2 slots(Free)	0
2.5" Drive Bays(Total)	1
2.5" Drive Bays (Free)	1
LAN	Realtek RTL8111H
WLAN	INTEL/3168.NGWW
WLAN Version	802.11ac 1x1+BT
BT Version	4.2
Audio Chipset	Realtek ALC887
Audio Type	7.1 Channel HD Audio
USB 3.2 Gen 2x2 Type C	NA
USB 3.2 Gen 2 Type C	NA
USB 3.2 Gen 2 Type A	NA
USB 3.2 Gen 1 Type C	1
USB 3.2 Gen 1 Type A	1
USB 2.0 Type A	NA
Mic-in/Headphone-out combo	NA
USB 3.2 Gen 2x2 Type C (R)	NA
USB 3.2 Gen 2 Type C (R)	NA
USB 3.2 Gen 2 Type A (R)	NA
USB 3.2 Gen 1 Type C (R)	NA
USB 3.2 Gen 1 Type A (R)	2
USB 2.0 Type C (R)	NA
USB 2.0 Type A (R)	2
RJ45	2
Card Reader	1
VGA out	NA
HDMI out	1x (v1.4)
DP out	NA
mini DP out	NA
PS2	NA
COM Port	1
DVI-D out	NA
OS	N/A
Operating Systems	N/A
Weight (Net kg)	5.82



BUSINESS & PRODUCTIVITY ALL-IN-ONE
P C

PRO 22XT 10M

PRO 22XT 10M-247XFR

Weight (Gross kg)	8.35
Warranty	24M
Operating, Storage Temperature	0° C ~ 35° C ; -20° C ~ 60° C
Operating, Storage Humidity	0% ~ 85%;0% ~ 90%
Regulatory Compliance	FCC(Class B) CB/CE UL(CUL) BSMI VCCI RCM(C-Tick)
AC Adaptor	1
Power Cord	1
Warranty Card	1
Quick Guide	3
User Manual	N/A
VESA Mount kit	N/A
Keyboard	N/A
Mouse	N/A
Entity MKT Name	PRO 22XT 10M-247XFR-BG64004GS25XXAMS
EAN	4719072823177
Screen Size	21.5" (55 cm)
Active Display Area (mm)	476.064(H) x267.786(V)
Curvature	Flat
Panel Type	IPS
Resolution	1920x1080 (FHD)
Pixel pitch	0.24795(H)x0.24795 (V)
Contrast Ratio	1000:1
Signal Frequency	64~83 KHz(H) / 50~75 Hz(V)
Response Time (GTG)	14ms
View Angles	178°(H)/178°(V)
Surface Treatment	Non-glare
Display Colors	16.7M
Mic-in	NA
Headphone-out	NA
Lock type	Kensington
Adjustment (Tilt)	Front 5°/Rear 15°
Adjustment (Swivel)	NA
Adjustment (Height)	NA
Adjustment (Pivot)	NA
Product Dimension with Stand (WxDxH) (mm)	500 x 210 x 370
Product Dimension with Stand (WxDxH) (inch)	19.69 x 8.27 x 14.57
Weight (Net lbs)	12.83
Weight (Gross lbs)	18.41
Brightness (nits)	250
Touch Screen	10 Points Projected Capacitive Touch Screen
Headphone-out (HiFi SPDIF)	NA
HDMI in	1
Mic-inHeadphone-out combo (R)	NA
Printer Port (Parallel)	NA
AC Adapter Output	120W
Battery	N/A
Battery Whrs	N/A
Product Dimension with Holder (WxDxH) (mm)	N/A
Product Dimension with Holder (WxDxH) (inch)	N/A
Inside Carton Dimension with Holder (WxDxH) (mm)	N/A
Inside Carton Dimension with Holder (WxDxH) (inch)	N/A
Inside Carton Dimension with Stand (WxDxH) (mm)	N/A
Inside Carton Dimension with Stand (WxDxH) (inch)	N/A
Outer Carton Dimension with Holder (WxDxH) (mm)	N/A