

PALIT® GEFORCE RTX 4060

GEFORCE RTX











Key Features

- Dedicated Ray Tracing Cores
- Dedicated Tensor Cores
- NVIDIA DLSS 3
- ☐ Game Ready and NVIDIA Studio Drivers
- NVIDIA® GeForce ExperienceTM
- NVIDIA Broadcast
- NVIDIA G-SYNC®
- NVIDIA GPU BoostTM
- ☐ GDDR6 Graphics Memory
- ☐ PCI Express® Gen 4
- ☐ Microsoft DirectX® 12 Ultimate
- □ Vulkan RT APIs, Vulkan 1.3, OpenGL 4.6
- HDCP 2.3
- ☐ DisplayPort 1.4a, up to 4K at 240Hz or 8K at 60Hz with DSC, HDR
- ☐ As specified in HDMI 2.1a: up to 4K 240Hz or 8K 60Hz with DSC, Gaming VRR, HDR

Minimum System Requirements

- ☐ PCI Express-compliant motherboard with one dual-width x16 graphics slot
- ☐ 600 W or greater system power supply
- ☐ One 8-pin supplementary power connectors
- ☐ Microsoft Windows® 11, Windows® 10 64-bit, Linux 64-bit

DUAL

| Part Number | NE64060T19P1-1070D |
|----------------|--------------------------------|
| EAN Code | 4710562244014 |
| GPU | RTX 4060 |
| CUDA Core | 3072 |
| Core Clock | 1830 MHz |
| Boost Clock | 2670 MHz |
| DRAM Type | GDDR6 |
| DRAM Amount | 8 GB |
| DRAM Interface | 128 bits |
| DRAM Speed | 17 Gbps |
| DRAM Bandwidth | 272 GB/s |
| Board Power | 130 W |
| Output | DP 1.4a x 3 HDMI 2.1a x 1 |
| Bracket | 2 slot |
| Cooler | 2 slot |
| Board size | 249.9 x 123.5 x 40.2 mm |
| Box size | 342 x 221 x 66 mm |
| Retail Pack | 10 pcs per carton |
| Box including | GeForce RTX 4060 graphics card |

Product Specifications and Features are for reference only and are subject to change without prior notice.