

UD80 PCIe SSD Gen 3x4 & NVMe 1.4

Features

- PCIe Gen 3x4 interface with read speeds up to 3,400MB/s and write speeds up to 3,000MB/s
- · Supports NVMe 1.4 and Host Memory Buffer (HMB) for higher performance and lower latency
- 3D NAND technology allows for dense storage in a compact design
- Available in massive storage capacity options up to 2TB
- Supports low density parity check (LDPC) coding to ensure accuracy of data transmission and reliability of data access
- Supports SLC Caching to improve sequential read/write and random read/write performance
- · Supports RAID to protect data in the case of a drive failure
- Built-in E2E data protection for enhanced data transfer integrity
- · Small form factor M.2 2280 (80mm) allows for easy installation in laptops, small form factor PC systems, and some ultrabooks

Specifications

• Dimensions: 22.0mm x 80.0mm x 3.5mm

- · Weight: 8g
- · Performance Read (max.): up to 3,400MB/s*
- · Performance Write (max.): up to 3,000MB/s*
- · Interface: PCIe Gen 3x4
- · Shock Resistance: 1500g/0.5ms
- MTBF: 1,500,000 hours
- · Operating Temperature: 0°C 70°C
- · Certification: CE, FCC, UKCA, BSMI, Green dot, WEEE, RoHS, KC
- · Warranty: 5-year limited warranty
- · System Requirements: Computer with M.2 slots supporting PCIe interface and one of the following operating systems: Windows 8.1, Windows 10, or Windows 11
 - *Performance read/write varies by system performance (such as hardware, software, and interface mode) and capacity

250GB | 500GB | 1TB | 2TB