

Classic Globe (GLS) 5.5W (40W) 2700K 470lm E27 Non-Dimmable Frosted Lamp*Partcode: ILGLSE27NC086 / Page: 1*

This 5.5W great all-purpose retrofit Integral LED Classic Globe (GLS) delivers a daylight output equivalent to 40W, offering big energy savings over equivalent incandescent bulbs. With a 470 lumen output and frosted finish this lamp is ideal for rooms with a single pendant fitting, living rooms, hallways and kitchens.

Product Details

Partcode: ILGLSE27NC086

Check Code: 891499

Range Name: Everyday

Placement / Application: Indoor, General Lighting

Market Segment: Commercial indoor, Residential indoor

Product Type: GLS

Warranty: 2 Years

CE / RoHS: Yes

Physical Data

Lamp Base: E27

Base Type: Edison screw

Base Colour: Matt white

Globe Type: Classic Globe (GLS)

Globe Finish: Frosted

Product Finish: Matt white

Construction: Plastic and Aluminium heat sink, polycarbonate diffuser, Nickel plated brass base

Partcode: ILGLSE27NC086 / Page: 2

Physical Data

Length: 110mm
Width: 60mm
Diameter: 60mm
Weight (Unpackaged Single Unit): 32g
Lamp or Luminaire Shape: Round
Lamp Fixing: Pendant, Wall

Electrical Data


Voltage Range: 220-240V
Power Consumption: 5.5 Watts
Driver included: Yes
Electric Current: AC
Ampage: 47.00mA
Frequency Range: 50/60 Hz
Power Factor: ≥ 0.50
Wattage Equivalent: 40 Watts
Dimming: Non-dimmable
LVD Certified: Yes
EN: EN-62560

Light Data

Lumens: 470lm
Lumens per Watt: 85.0lm/W
Beam Angle: 220°
Correlated Colour Temperature (CCT): 2700k
Colour Temperature: Warm
Colour Rendering Index (CRI): ≥ 80
LED Type: Filament chip
Instant on - Less than 1 second: Yes
Lifetime: 15,000 hrs
Switching Cycles: $>7,500$ X

Partcode: ILGLSE27NC086 / Page: 3

Environmental



Energy Rating: A+

Lowest Operating Temperature: -20 degrees

Maximum Operating Temperature: 40 degrees

IP (Ingress Protection) Rating: IP20

Hg 0% (Mercury Free): Yes

Packaging



EAN Barcode (unit of 1): 5055788249764

Packaged Weight (Unit of 1): 47g

Length (unit of 1): 108mm

Width (unit of 1): 60mm

Depth (unit of 1): 60mm

Outer packaging info available on website

Product data last updated on: Wednesday, September 11, 2019 - 17:47